



FIBERS & TEXTILES COMPANY

High-Performance Materials For Your Hardworking Products

Product Code: F2A77 - CARLISLE 102578

	Target	Tolerance (+/-)	ASTM Method
EPI	9	1	D 3775-96
PPI	8	1	D 3775-96
Width (Inches)	120.75	0.25	D 3774-96 Option A
Warp Tensile	150 lbs	nominal	D 5034-90
Fill Tensile	150 lbs	nominal	D 5034-90
Gauge (Inches)	0.0125	0.0035	D 1777-96
Weight (oz/yd ²)	2.95	0.15	D 3776-96 Option C
Weave	Weft Inserted Warp Knit		
Edges	Hot Melt Yarn (sealed)		
Length	5,000 yards	3,600 yds MIN	
Warp	1000 denier Polyester		
Fill	1300 denier Polyester		
Tie Yarn	70 denier Polyester		